



Aluminium Converter Foil

<u> () </u>

Products


Aluminium Converter Foil

Having made substantial investments over the past years, SYMETAL produces excellent quality Converter Foil coils that ensure continuous material flow during processing.



Each reel is thoroughly measured and tested in order to ensure its quality during the rolling procedure. SYMETAL Converter Foil is thermally degreased, suitable for diverse packaging applications that include: Paper Lamination • Polyethylene Film Lamination • Wax Lamination/Printing • Heat-Sealable Lacquering

SYMETAL Converter Foil is provided in both 8xxx and
1xxx aluminium alloy series reels all in soft temper,
satisfying end-user needs, such as:
Cigarette Packaging • Multi-Laminate Packaging
• Blister Foil • Yoghurt Lids • General Insulation Foil.




Quality Certification

According to EN and AA Standards or other agreed customer specifications.







Production Range

Dimension Range Gauge: 0.006 to 0.060 mm double rolled • Width: up to 2,000 mm Coil ID: max. 150 mm, on steel core • Coil OD: max. 1,000 mm.

Packing
All coils are packed in wooden boxes or pallets, well secured for safe transit.

Surface Finish
SYMETAL Converter Foil is produced with one side bright and the other side matt.





HEAD OFFICE/ MANDRA PLANT: 25th km Athens - Korinthos National Road, GR 19 600 Mandra, Attica, GREECE Tel.: +30 210-5556833-4, Fax: +30 210-5551077

OINOFYTA PLANT: Agios Thomas, Oinofyta Viotia, GR 320 11 GREECE. Tel.: +30 22620-53111, Fax: +30 22620-53677

http://www.symetal.gi